

Induction of Labor Using a Foley Balloon, With and Without Extra-Amniotic Saline Infusion

 pubmed.ncbi.nlm.nih.gov/16449106

Abstract

Objective: To compare transcervical Foley bulb with and without extra-amniotic saline infusion for induction of labor in patients with an unfavorable cervix.

Methods: Women who presented for induction of labor with Bishop score less than 5 were randomly assigned to receive Foley alone or Foley with extra-amniotic saline infusion for induction of labor. Primary outcome was time from start of induction to vaginal delivery. Secondary outcomes were cesarean delivery rates, incidence of chorioamnionitis, Apgar scores at 1 and 5 minutes, and adverse events.

Results: One hundred forty women completed the study. Time from induction to vaginal delivery was 16.58 (+/- 7.55) hours in the extra-amniotic saline infusion group compared with 21.47 (+/- 9.95) hours in the Foley group ($P < .01$). Chorioamnionitis occurred in 4 of 66 (6.1%) women in the extra-amniotic saline infusion group compared with 12 of 74 (16.2%) women in the Foley group ($P = .067$). Cesarean delivery rate was 21.2% versus 20.1% in the extra-amniotic saline infusion and Foley groups, respectively ($P = 1.0$). Median 1-minute and 5-minute Apgar scores were 9 in both groups. Adverse events were rare and unrelated to method of induction.

Conclusion: Induction of labor by using Foley with extra-amniotic saline infusion results in shorter induction-to-vaginal-delivery time than Foley alone, without affecting cesarean delivery rates.

Level of evidence: II-I

Similar articles

- [Transcervical Foley catheter with and without extraamniotic saline infusion for labor induction: a randomized controlled trial.](#)
Lin MG, Reid KJ, Treaster MR, Nuthalapaty FS, Ramsey PS, Lu GC. *Obstet Gynecol.* 2007 Sep;110(3):558-65. doi: 10.1097/01.AOG.0000278077.30890.87. PMID: 17766600
Clinical Trial.

- Labor induction in women with an unfavorable Bishop score: randomized controlled trial of intrauterine Foley catheter with concurrent oxytocin infusion versus Foley catheter with extra-amniotic saline infusion with concurrent oxytocin infusion.
Guinn DA, Davies JK, Jones RO, Sullivan L, Wolf D. Am J Obstet Gynecol. 2004 Jul;191(1):225-9. doi: 10.1016/j.ajog.2003.12.039. PMID: 15295370 Clinical Trial.
- Increased rates of chorioamnionitis with extra-amniotic saline infusion method of labor induction.
Levey KA, MacKenzie AP, Stephenson C, Bercik R, Kuczynski E, Funai EF. Obstet Gynecol. 2004 Apr;103(4):724-8. doi: 10.1097/01.AOG.0000118308.65550.f6. PMID: 15051565
- Other mechanical methods for pre-induction cervical ripening.
Durie D, Lawal A, Zegelbone P. Semin Perinatol. 2015 Oct;39(6):444-9. doi: 10.1053/j.semperi.2015.07.006. Epub 2015 Sep 2. PMID: 26341067 Review.
- [Induced labor by mechanical methods. Advantages and disadvantages].
Dubecq JP, Horovitz J. J Gynecol Obstet Biol Reprod (Paris). 1995;24(1 Suppl):8-12. PMID: 8550982 Review. French. No abstract available.

[See all similar articles](#)

Cited by 4 articles

- A lariat-based dilatation device for hysteroscopy: an *in vitro* study.
Shen D, Ma K, Tian M, Li L, Jiang Q, Wang X. Ann Transl Med. 2019 Sep;7(18):462. doi: 10.21037/atm.2019.08.30. PMID: 31700898 Free PMC article.
- Mechanical methods for induction of labour.
de Vaan MD, Ten Eikelder ML, Jozwiak M, Palmer KR, Davies-Tuck M, Bloemenkamp KW, Mol BWJ, Bouvain M. Cochrane Database Syst Rev. 2019 Oct 18;10(10):CD001233. doi: 10.1002/14651858.CD001233.pub3. Online ahead of print. PMID: 31623014 Free PMC article. Review.
- Labor induction utilizing the Foley balloon: a randomized trial comparing standard placement versus immediate removal.
Sharma KJ, Grubbs BH, Mullin PM, Opper N, Lee RH. J Perinatol. 2015 Jun;35(6):390-5. doi: 10.1038/jp.2014.229. Epub 2015 Jan 8. PMID: 25569680 Clinical Trial.
- A randomized controlled trial of foley catheter, extra-amniotic saline infusion and prostaglandin e2 suppository for labor induction.
Ghanaie MM, Jafarabadi M, Milani F, Asgary SA, Karkan MF. J Family Reprod Health. 2013 Jun;7(2):49-55. PMID: 24971103 Free PMC article.

